



Tokyo Tech

For Faculty and Staff
(with suspected COVID-19)

Response Manual for Faculty and Staff with Suspected COVID-19

Please read and follow the instructions in this manual if you (faculty and staff) are suspected to have COVID-19.

For Faculty and Staff
(with suspected COVID-19)

Contents

1. If you **feel unwell**
2. If you **test positive**
3. If you **are identified as a Close Contact (or equivalent)**
4. If **someone you live with is identified as a Close Contact**
5. If **someone you live with feels unwell**
6. Other (cases other than 1 to 5)

1. If you feel unwell

For Faculty and Staff
(with suspected COVID-19)



Tokyo Tech

Do you have any of the following symptoms?

- Cold-like symptoms such as a fever, cough, sore throat, headache, fatigue
- Difficulty breathing, loss of sense of smell or taste, etc.

If so, be sure to stay away from campus while you are sick. You must stay home and promptly notify your supervisor. Please see a doctor, and if you undergo PCR or antigen testing, stay home until the test result is confirmed.



Have you undergone PCR or antigen testing?

Yes (positive result)

See "2. If you test positive."

**Yes (negative result)
or
No (not tested)**

Have you been identified as a Close Contact (or equivalent)?
→ See "(A) How to Determine a Close Contact (or Equivalent)."

Yes

See "3. If you are identified as a Close Contact (or equivalent)."

No

**If you have symptoms,
stay away from campus.**

Please stay away from campus until
72 hours have passed¹ since symptoms² were resolved³.

Please promptly notify your supervisor of your current status and seek their advice to determine the appropriate work arrangement.

- You can work from home or take annual leave or sick leave. Please ensure that you focus on treating the condition and take precautions to prevent the spread of infection. (You are not allowed to work from home when you are unwell.)
- No need to send a report to pcrtest@jim.titech.ac.jp to notify the Institute of your current status at this point. If you later develop symptoms, test positive, or someone around you may have been infected, please follow the relevant flowchart.

Notes:

1. To determine if employees can return to work on campus, we are recommended to ensure that at least 72 hours have passed since symptoms were resolved in order to account for possible false negative test results and undiagnosed COVID-19 cases. (The Japan Society for Occupational Health)
2. Your fever subsides without the use of fever-reducing medications, and respiratory conditions are improving. (Ministry of Health, Labour and Welfare)
3. If you live with a Close Contact, you must stay away from campus until 72 hours have passed since your symptoms were resolved and the Close Contact's self-isolation period has ended.

2. If you test positive

For Faculty and Staff
(with suspected COVID-19)



Tokyo Tech

You have tested positive for COVID-19 after PCR or antigen testing.



Please confirm the first day of symptom onset or the day your sample was collected.

Do you have any of the following symptoms?

- Cold-like symptoms such as a fever, cough, sore throat, headache, fatigue
- Difficulty breathing, loss of sense of smell or taste, etc.

Yes

You have tested positive and have symptoms.
Stay away from campus and notify the Institute.

You must stay away from campus for **10 days**¹ from the day after your first day of symptoms and until **72 hours** have passed since your symptoms were resolved².

No

You have tested positive but have no symptoms.
Stay away from campus and notify the Institute.

Stay away from campus for **7 days**¹ from the day after your sample was collected.
Note: If you develop symptoms later, you must stay away from campus for **10 days**¹ from the day after your first day of symptoms and until **72 hours** have passed since your symptoms were resolved².

Notify your supervisor of your current status and seek their advice to determine the appropriate work arrangement.

- You need to stay away from work on paid medical suspension (有給の出勤停止) until you are able to return to campus. After you have recovered, depending on your health and the current situation on campus, you will be ordered to work from home by your supervisor, or if not, you can take annual leave or sick leave. Please ensure that you focus on treating the condition and take precautions to prevent the spread of infection. (You are not allowed to work from home when you are unwell.)

Inform your Close Contacts

- To the extent possible, tell people with whom you have been in close contact³ anytime beginning 2 days before your symptoms first appeared.

Notify the Institute

- Prepare a PCR/antigen test report form (<https://www.titech.ac.jp/english/student-support/file/covid19-eng.xlsx>) and email it to pcrtest@jim.titech.ac.jp to notify the Institute of your positive test result. When reporting, please include your supervisor in the email for the purpose of contact tracing within the Institute. If you have any difficulty preparing a report, ask your supervisor to take care of it on your behalf. The Health Support Center will subsequently be in touch with you for health monitoring, etc.

After taking the above steps, please follow instructions from the Health Support Center. For work arrangements after your recovery, please consult your supervisor as necessary.

Notes

1. Count the day your symptoms first appeared or your sample was collected as Day 0.
2. Your fever subsides without the use of fever-reducing medications, and respiratory conditions are improving. (Ministry of Health, Labour and Welfare)
3. Dining together, having contact or talking without wearing a mask, spending time together in a confined space (e.g., car, karaoke, etc.) or face-to-face situations (group activities, experiments, games, etc.). Please see "(A) How to Determine a Close Contact (or Equivalent)" for Tokyo Tech's policy.

3. If you are identified as a Close Contact (or equivalent)

For Faculty and Staff
(with suspected COVID-19)



Tokyo Tech

You have been identified as a Close Contact (or equivalent).

→ Please see "(A) How to Determine a Close Contact (or Equivalent)."



Please check the most recent date on which you had contact with a COVID-19 patient.

Do you have any of the following symptoms?

- Cold-like symptoms such as a fever, cough, sore throat, headache, fatigue
- Difficulty breathing, loss of sense of smell or taste, etc.

Yes

No

**You have been identified as a Close Contact and have symptoms.
Stay away from campus and notify the Institute.**

Stay away from campus for **7 days**¹ after the last exposure to the COVID-19 patient (or after you started self-isolation at home if you live with the patient) and until **72 hours** have passed since your symptoms were resolved².

Notify your supervisor of your current status and seek their advice to determine the appropriate work arrangement.

- You need to stay away from work on paid medical suspension (有給の出勤停止) until you are able to return to campus. After you have recovered, depending on your health and the current situation on campus, you will be ordered to work from home by your supervisor, or if not, you can take annual leave or sick leave. Please ensure that you focus on treating the condition and take precautions to prevent the spread of infection. (You are not allowed to work from home when you are unwell.)

Notify the Institute.

- Prepare a report (<https://www.titech.ac.jp/english/student-support/file/covid19-eng.xlsx>) and email it to pcrtest@jim.titech.ac.jp to notify the Institute of your current status. If you have any difficulty preparing a report, ask your supervisor to take care of it on your behalf. The Health Support Center will subsequently be in touch with you for health monitoring, etc.

After taking the above steps, please follow instructions from the Health Support Center. For work arrangements after your recovery, please consult your supervisor as necessary.

**You have been identified as a Close Contact but have no symptoms.
Stay away from campus.**

Stay away from campus for **7 days**¹ after the last exposure to the COVID-19 patient (or after you started self-isolation at home if you live with the patient).

Notify your supervisor of your current status and seek their advice to determine the appropriate work arrangement.

- Depending on your health and the current situation on campus, you will be ordered to work from home by your supervisor, or if not, you can take annual leave. In some cases, your supervisor may require you to stay away from work on paid medical suspension (有給の出勤停止). Please ensure that you take precautions to prevent the spread of infection.
- No need to send a report to pcrtest@jim.titech.ac.jp to notify the Institute of your current status at this point. If you later develop symptoms, test positive, or someone around you may have been infected, please see the relevant flowchart.

After staying away from campus for the required period of time, please notify your supervisor of your status and seek their advice to determine the appropriate work arrangement.

Notes

1. Count the last day of exposure or the day you started self-isolation at home as Day 0.
2. Your fever subsides without the use of fever-reducing medications, and respiratory conditions are improving. (Ministry of Health, Labour and Welfare)

4. If someone you live with is identified as a Close Contact

For Faculty and Staff
(with suspected COVID-19)



Tokyo Tech

Someone you live with has been identified as a Close Contact (including suspected cases).

Do you have any of the following symptoms?

- Cold-like symptoms such as a fever, cough, sore throat, headache, fatigue
- Difficulty breathing, loss of sense of smell or taste, etc.

Yes

See "1. If you feel unwell."

No

Have you undergone PCR or antigen testing?

Yes (positive result)

See "2. If you test positive."

**Yes (negative result)
or
No (not tested)**

Stay away from campus.

You must stay away from campus for the same period of time as the Close Contact¹.

Please notify your supervisor of your current status and seek their advice to determine the appropriate work arrangement.

- You can work from home or take annual leave. Please ensure that you take precautions to prevent the spread of infection.
- No need to send a report to prctest@jim.titech.ac.jp to notify the Institute of your current status at this point. If you later develop symptoms, test positive, or someone around you may have been infected, please see the relevant flowchart.

After staying away from campus for the required period of time, please notify your supervisor of your status and seek their advice to determine the appropriate work arrangement.

Note
The Ministry of Health, Labour and Welfare recommends that Close Contacts self-isolate for 7 days after the last exposure to the COVID-19 patient (or after the start of self-isolation at home if they live with the patient) (the start day is counted as Day 0). However, if there are any specific instructions from the employer or school of the Close Contact, you can prioritize them over the recommendation.

5. If someone you live with feels unwell

For Faculty and Staff
(with suspected COVID-19)



Tokyo Tech

Someone you live with has started to feel sick.

Do you have any of the following symptoms?

- Cold-like symptoms such as a fever, cough, sore throat, headache, fatigue
- Difficulty breathing, loss of sense of smell or taste, etc.

Yes

See "1. If you feel unwell."

No

Have you undergone PCR or antigen testing?

Yes (positive result)

See "2. If you test positive."

Yes (negative result)
or
No (not tested)

Please notify your supervisor of your current status and seek their advice to determine the appropriate work arrangement.

- You can work from home or take annual leave. Please ensure that you take precautions to prevent the spread of infection.
- If you need to work on campus, please closely monitor your health and adhere to the following preventive measures:
 - A) At home: Wear a mask and sanitize your hands.
 - B) On campus: Wear a mask at all times, sanitize your hands, and eat alone as much as possible.
 - C) On campus: Limit conversation to the minimum required.
- No need to send a report to pcrtest@jim.titech.ac.jp to notify the Institute of your current status at this point. If you later develop symptoms, test positive, or someone around you may have been infected, please see the relevant flowchart.

Has the person you live with undergone PCR or antigen testing?

Yes (positive result)

You are identified as a Close Contact.
See "3. If you are identified as a Close Contact (or equivalent)."

Yes (negative result)
or
No (not tested)

Have they been identified as a Close Contact?

Yes

See "4. If someone you live with is identified as a Close Contact."

No

You are recommended to stay away from campus.

The Institute recommends that you stay away from campus until the symptoms of the person you live with are resolved.

6. Other (cases other than 1 to 5)

Case	Example	Determination
I have been exposed to a Close Contact who I do not live with.	<p>I dined with a friend the other day.</p> <p>Later, a member of his family tested positive for COVID-19, and he has been identified as a Close Contact.</p>	<ul style="list-style-type: none"> • If you feel sick, please see "1. If you feel unwell." • If you undergo PCR or antigen testing and test positive, please see "2. If you test positive." • If your friend tests positive later, please see "(A) How to Determine a Close Contact (or Equivalent)." If you have been identified as a Close Contact (or equivalent), please see "3. If you are identified as a Close Contact (or equivalent)." • Even if none of the above applies to you, please consult your supervisor and take precautions such as working from home to prevent the spread of infection.
I received an exposure notification through a contact-tracing app.	I have received an exposure notification through the COCOA app.	<ul style="list-style-type: none"> • If you feel sick, please see "1. If you feel unwell." • If you undergo PCR or antigen testing and test positive, please see "2. If you test positive." • If none of the above applies to you, but you are still concerned, please consult your supervisor and take precautions such as working from home to prevent the spread of infection.
I want to shorten my self-isolation period.	You can end your self-isolation on the fifth day at the earliest if you have no symptoms and test negative on all antigen tests you undergo on the fourth and fifth day from your last exposure.	<ul style="list-style-type: none"> • When you undergo antigen testing, please ensure that all of the following conditions are met: <ol style="list-style-type: none"> ① You undergo the testing at your expense and the antigen-test kits are approved (for diagnosis/medical treatment) under the Pharmaceutical Affairs Law. ② You use qualitative antigen test kits (nasopharyngeal or nasal swab). ③ You continue to monitor your health for 7 days from the last exposure and ensure that you take precautions to prevent the spread of infection.

(A) How to Determine a Close Contact (or Equivalent)

Someone around you or someone you have been in contact with has tested positive.

Please confirm the patient's first day of symptom onset or the day their positive test sample was collected.

Have you been identified as a Close Contact by a Public Health Center?

No

Do you live with the COVID-19 patient?

Yes

No


You are a Close Contact (or equivalent)

Yes

Please check if both of the following conditions apply to you.

- You met the COVID-19 patient sometime during the 2 days before their symptoms first appeared.
- You had contact with the COVID-19 patient in a high-risk setting.

High-risk settings: dining together, having contact or talking without wearing a mask, spending a long time together in a confined space (e.g., car, karaoke, etc.) or face-to-face situations (group activities, experiments, games, etc.)



No

Do you have any of the following symptoms?

- Cold-like symptoms such as a fever, cough, sore throat, headache, fatigue etc.
- Difficulty breathing, loss of sense of smell or taste, etc.

Yes

No

Do you have any of the following symptoms?

- Cold-like symptoms such as a fever, cough, sore throat, headache, fatigue etc.
- Difficulty breathing, loss of sense of smell or taste, etc.

Yes

No

You have been identified as a Close Contact (or equivalent) and have symptoms. Stay away from campus and notify the Institute.
See "3. If you are identified as a Close Contact (or equivalent)."

You have been identified as a Close Contact (or equivalent) but have no symptoms. Stay away from campus.
See "3. If you are identified as a Close Contact (or equivalent)."

You have symptoms. Stay away from campus.
See "1. If you feel unwell."

You are not a Close Contact.
Please continue to closely monitor your health.

Yes