

## PRESS RELEASE

Source: Tokyo Institute of Technology

For immediate release: October 28, 2021

### **Plant from Plastics: Bio-based Polymers Can Be Transformed into Fertilizers**

(Tokyo, October 28) **Bioplastics can be chemically recycled into nitrogen-rich fertilizers in a facile and environmentally friendly way, as recently demonstrated by scientists from Tokyo Institute of Technology (Tokyo Tech). Their findings pave the way towards sustainable circular systems that simultaneously address issues such as plastic pollution, petrochemical resource depletion, and world hunger.**

Plastics have taken the world by storm over the last century, finding applications in virtually every aspect of our lives. However, the rise of these synthetic polymers, which form the basis of plastics, has contributed to many serious environmental issues. The worst of these is the excessive use of petrochemical compounds and the disposal of non-biodegradable materials without recycling; only 14% of all plastic waste is recycled, which hardly puts a dent in the problem.

To solve the plastic conundrum, we need to develop “circular” systems, in which the source materials used to produce the plastics come full circle after disposal and recycling. At Tokyo Institute of Technology, a team of scientists led by Assistant Professor Daisuke Aoki and Professor Hideyuki Otsuka is pioneering a novel concept. In their new environmentally friendly process, plastics produced using biomass (bioplastics) are chemically recycled back into fertilizers. This study will be published in *Green Chemistry*, a journal of the Royal Society of Chemistry focusing on innovative research on sustainable and eco-friendly technologies.

The team focused on poly (isosorbide carbonate), or “PIC,” a type of bio-based polycarbonate that has garnered much attention as an alternative to petroleum-based polycarbonates. PIC is produced using a non-toxic material derived from glucose called isosorbide (ISB) as a monomer. The interesting part is that the carbonate links that join the ISB units can be severed using ammonia (NH<sub>3</sub>) in a process known as ‘ammonolysis’. The process produces urea, a nitrogen-rich molecule that is widely used as a fertilizer. While this chemical reaction was no secret to science, few studies on polymer degradation have focused on the potential uses of all the degradation products instead of only the monomers.

First, the scientists investigated how well the complete ammonolysis of PIC could be conducted in water at mild conditions (30°C and atmospheric pressure). The rationale behind this decision was to avoid the use of organic solvents and excessive amounts of energy. The team carefully analyzed all the reaction products through various means, including nuclear magnetic resonance spectroscopy, the Fourier transform infrared spectroscopy, and gel permeation chromatography.

Although they managed to produce urea in this way, the degradation of PIC was not complete even after 24 hours, with many ISB derivatives still present. Therefore, the researchers tried increasing the temperature and found that complete degradation could be achieved in about six hours at 90°C! Dr. Aoki highlights the benefits of this approach, “The reaction occurs without any catalyst, demonstrating that the ammonolysis of PIC can be easily performed using aqueous ammonia and heating. Thus, this procedure is operationally simple and environmentally friendly from the viewpoint of chemical recycling.”

Finally, as a proof-of-concept that all PIC degradation products can be directly used as a fertilizer, the team conducted plant growth experiments with *Arabidopsis thaliana*, a model organism. They found that plants treated with all PIC degradation products grew better than plants treated with just urea.

The overall results of this study showcase the feasibility of developing fertilizer-from-plastics systems (Figure 1). The systems can not only help fight off pollution and resource depletion but also contribute to meeting the world’s increasing food demands. Dr. Aoki concludes on a high note, “We are convinced that our work represents a milestone toward developing sustainable and recyclable polymer materials in the near future. The era of ‘bread from plastics’ is just around the corner!”




Figure 1. A fertilizer-from-plastics circular system

Using the degradation products of PIC as a nitrogen-rich fertilizer closes a sustainable loop that makes bioplastics a much more attractive option for addressing the environmental issues posed by conventional petroleum-based plastics.

Image credit: Daisuke Aoki from Tokyo Institute of Technology

## Reference

Authors: Takumi Abe<sup>1</sup>, Rikito Takashima<sup>1</sup>, Takehiro Kamiya<sup>2</sup>, Choon Pin Foong<sup>3</sup>, Keiji Numata<sup>3</sup>, Daisuke Aoki<sup>1,4,\*</sup>, and Hideyuki Otsuka<sup>1,\*</sup>

Title of original paper: Plastics to Fertilizers: Chemical Recycling of a Bio-based Polycarbonate as a Fertilizer Source  
Journal: *Green Chemistry*  
DOI: 10.1039/D1GC02327F  
Affiliations: <sup>1</sup>Department of Chemical Science and Engineering, Tokyo Institute of Technology  
<sup>2</sup>The Laboratory of Plant Nutrition and Fertilizers, Graduate School of Agricultural and Life Sciences, The University of Tokyo  
<sup>3</sup>Department of Material Chemistry, Graduate School of Engineering, Kyoto University  
<sup>4</sup>JST-PRESTO

\*Corresponding authors' emails: [aoki.d.aa@m.titech.ac.jp](mailto:aoki.d.aa@m.titech.ac.jp) (D. Aoki)

### Contact

Kazuhide Hasegawa  
Public Relations Division,  
Tokyo Institute of Technology  
[media@jim.titech.ac.jp](mailto:media@jim.titech.ac.jp)  
+81-3-5734-2975

Yuko Shimabayashi  
Department of Strategic Basic Research,  
Japan Science and Technology Agency  
[presto@jst.go.jp](mailto:presto@jst.go.jp)  
+81-3-3512-3526

### About Tokyo Institute of Technology

Tokyo Tech stands at the forefront of research and higher education as the leading university for science and technology in Japan. Tokyo Tech researchers excel in fields ranging from materials science to biology, computer science, and physics. Founded in 1881, Tokyo Tech hosts over 10,000 undergraduate and graduate students per year, who develop into scientific leaders and some of the most sought-after engineers in industry. Embodying the Japanese philosophy of “monotsukuri,” meaning “technical ingenuity and innovation,” the Tokyo Tech community strives to contribute to society through high-impact research.  
<https://www.titech.ac.jp/english/>

### About Japan Science and Technology Agency

JST is an organization that leads Japan's science and technology (S&T) development as an innovation navigator. We aim to contribute to the lives of people and the achievement of a sustainable society by promoting S&T for the purpose of opening up opportunities in innovation. Since its foundation, JST's many outstanding achievements accomplished in collaboration with the government, universities, the industrial sector and public have been earned global recognition.  
<https://www.jst.go.jp/EN/>

