

PRESS RELEASE


Source: Tokyo Institute of Technology

For immediate release: Month Date, Year

Visualizing Temperature Transport: An Unexpected Technique for Nanoscale Characterization

(Tokyo, Month DD) Thermal transport properties of molecular junctions in materials have remained difficult to characterize. Now, researchers from Tokyo Institute of Technology (Tokyo Tech) unexpectedly discovered a combination of contact and non-contact thermal microscopy techniques that can be used to probe thermal transport properties at the nanoscale. With it, they obtained, for the first time, high-quality thermal images of self-assembled monolayers of small organic molecules. Their approach will pave the way to better thermal and topographic characterization of nanoscale materials.

A New Way to Probe Thermal Transport Properties at the Nanoscale



Visualization of Thermal Transport Properties of Self-Assembled Monolayers on Au(111) by Contact and Noncontact Scanning Thermal Microscopy

Fujii et al. (2021) | *Journal of the American Chemical Society* | 10.1021/jacs.1c09757

As devices continue to shrink, new challenges in their measurement and design present themselves. For devices based on molecular junctions, in which single molecules are bound to metals or semiconductors, we have a variety of techniques to study and characterize their electric transport properties. In contrast, probing the thermal transport properties of such junctions at the nanoscale has proven more challenging, and many temperature-related quantum phenomena in them remain poorly understood.

In a few studies, scientists managed to measure the thermal transport properties in molecular junctions at the nanoscale using a technique called scanning thermal microscopy (SThM). This method involves putting a very sharp metallic tip in contact with the target material and moving this tip throughout the material's surface. The tip, which is heated from behind using a laser, contains a thermocouple. This small device measures temperature differences and so, by balancing the heating of the tip caused by the laser with the tip's cooling caused by heat flowing into the target sample, it becomes possible to measure a material's thermal transport characteristics point by point.

In a recent study published in [*Journal of the American Chemical Society*](#), scientists from Tokyo Tech reported a serendipitous yet important finding while using SThM. The team was employing a SThM technique to measure the thermal transport properties of self-assembled monolayers (SAMs). These samples contained alternating stripes of each of the three possible pairs between n-Hexadecanethiol, n-Butanethiol, and Benzenethiol. Besides employing the standard contact-based SThM approach, the researchers tried using a non-contact regime as well, in which the tip of the scanning thermal microscope was kept above the sample without touching it. Unexpectedly, they realized this non-contact regime had some serious potential.

In the contact SThM regime, heat flows directly from the tip to the sample. By contrast, in the non-contact SThM regime, the only heat transfer between the tip and the sample occurs via heat radiation. As the team found out through experiments, while the contact regime is best for visualizing the thermal transport characteristics, the non-contact regime is much more sensitive to the actual length of the molecules 'sticking out' from the substrate. Thus, the combination of the non-contact and contact regimes provides an all-new way of creating topographic and thermal transport images of a sample simultaneously.

Moreover, the non-contact approach has advantages over other well-established microscopy techniques, as Associate Professor Shintaro Fujii, lead author of the paper, explains: "The non-contact SThM approach is completely non-destructive, unlike other techniques like atomic force microscopy, which does require contact between the scanning tip and the sample and thus has a mechanical impact that can damage soft organic materials."

Overall, the insight provided by this study will pave the way to novel technological advances and a deeper comprehension of materials at the nanoscale. "Our work not only is the first to provide thermal images of organic SAMs, but also provides a new technique for investigating thermal transport properties, which will be essential for thermal management in various types of nanodevices," concludes Fujii.

Let us hope this work helps scientists elucidate the many mysteries of thermal phenomena.

Reference

Authors: Shintaro Fujii^{1,*}, Yoshiaki Shoji², Takanori Fukushima^{2,*}, and Tomoaki Nishino^{1,*}
Title of original paper: Visualization of Thermal Transport Properties of Self-Assembled Monolayers on Au(111) by Contact and Noncontact Scanning Thermal Microscopy
Journal: *Journal of the American Chemical Society*
DOI: 10.1021/jacs.1c09757
Affiliations: ¹Department of Chemistry, School of Science, Tokyo Institute of Technology
²Laboratory for Chemistry and Life Science, Institute of Innovative Research, Tokyo Institute of Technology

*Corresponding authors' emails: fujii.s.af@m.titech.ac.jp (S. F.); fukushima@res.titech.ac.jp (T. F.); tnishino@chem.titech.ac.jp (T. N.)

Contact

Kazuhide Hasegawa
Public Relations Division,
Tokyo Institute of Technology
media@jim.titech.ac.jp
+81-3-5734-2975

About Tokyo Institute of Technology

Tokyo Tech stands at the forefront of research and higher education as the leading university for science and technology in Japan. Tokyo Tech researchers excel in fields ranging from materials science to biology, computer science, and physics. Founded in 1881, Tokyo Tech hosts over 10,000 undergraduate and graduate students per year, who develop into scientific leaders and some of the most sought-after engineers in industry. Embodying the Japanese philosophy of “monotsukuri,” meaning “technical ingenuity and innovation,” the Tokyo Tech community strives to contribute to society through high-impact research. <https://www.titech.ac.jp/english/>