

PRESS RELEASE

Source: Tokyo Institute of Technology

For immediate release: June 22, 2021

Striking Gold: Synthesizing Green Gold Nanoparticles for Cancer Therapy with Biomolecules

(Tokyo, June 22) **Scientists at Tokyo Institute of Technology (Tokyo Tech) have designed an eco-friendly protocol for synthesizing gold nanoparticles with optimized morphology for near-infrared light absorption using a biomolecule called B3 peptide. In their paper, they report the synthesis of triangular and circular gold nanoplates and their effectiveness in killing cancer cells by converting the absorbed light into heat, providing useful insights for the development of non-invasive cancer therapy.**

In cancer therapy, the effectiveness of an approach is determined by its ability to preserve the non-cancerous cells. Simply put, the higher the collateral damage, the greater are the side-effects of a therapy. An ideal situation is where only the cancer cells can be targeted and destroyed. In this regard, photothermal therapy—an approach in which cancer cells infused with gold nanoparticles can be heated up and destroyed using near-infrared (NIR) light that is strongly absorbed by the gold nanoparticles—has emerged as a promising strategy due to its minimally invasive nature.

“Because NIR light is able to penetrate biological tissues, it can illuminate the gold nanoparticles within the body and turn them into nano-sized cell heating agents,” explains Prof. Masayoshi Tanaka from Tokyo Institute of Technology (Tokyo Tech), Japan, who researches nanomaterials for biomedical applications.

In particular, gold nanoplates (AuNPIs) are extremely attractive as photothermal therapeutic agents owing to their efficient absorption of NIR light. However, synthesizing these nanoparticles requires harsh reagents and highly toxic conditions, making the process hazardous. In a new study, Prof. Tanaka and his collaborators from UK (University of Leeds) and Korea (Chung-Ang University) have now addressed this issue by developing a safer and more eco-friendly protocol for AuNPI synthesis, the results of which are published in *ACTA Biomaterialia*.

The team took the hint from a process called “biomineralization” that uses biomolecules to generate metal nanoparticles with tunable structures. “Peptides, or short chains of amino acids, are particularly attractive candidates for this purpose because of their relatively small size and stability. However, their use for producing Au nanoparticles with optimized structures for efficient NIR absorption has not yet been reported,” says Prof. Tanaka.

Motivated, the team began by identifying peptides suitable for the mineralization of AuNPIs and, after picking out over 100 peptides, decided to examine the potential of a peptide named

B3 for synthesizing AuNPIs with controllable structure that can serve as photothermal conversion agents.


In a process called “one pot synthesis”, the team mixed a gold salt, HAuCl_4 , along with B3 peptide and its derivatives at various concentrations in a buffer solution (an aqueous solution resistant to changes in pH) at neutral pH and synthesized triangular and circular-shaped AuNPIs with different levels of NIR absorption based on the peptide concentration.

The team then tested the effect of the AuNPIs on cultured cancer cells under irradiated conditions and found them to exhibit the desired therapeutic effects. Furthermore, on characterizing the peptide using B3 derivatives, they found that an amino acid called histidine governed the structure of the AuNPIs.

“These findings provide not only an easy and green synthetic method for AuNPIs but also insight into the regulation of peptide-based nanoparticle synthesis,” comments Prof. Tanaka excitedly. “This could open doors to new techniques for non-toxic synthesis of nanoparticle therapeutic agents.”

Indeed, we might have struck gold with gold nanoparticles!

Nanoparticles from Biomolecules: An Eco-friendly Synthesis



Synthesis of near-infrared absorbing triangular Au nanoplates using biomineralisation peptides

Tanaka et al. (2021) | *ACTA Biomaterialia*



Reference

Authors: Masayoshi Tanaka¹, Mirei Hayashi¹, Lucien Roach², Yuka Kiriki¹, Tetsuya Kadonosono³, Takahiro Nomoto⁴, Nobuhiro Nishiyama⁴, Jonghoon Choi⁵, Kevin Critchley², Stephen D. Evans² and Mina Okochi¹

Title of original paper: Synthesis of near-infrared absorbing triangular Au nanoplates using biomineralisation peptides

Journal: *ACTA Biomaterialia*

DOI: 10.1016/j.actbio.2021.06.010

Affiliations: ¹Department of Chemical Science and Engineering, Tokyo Institute of Technology
²School of Physics and Astronomy, University of Leeds
³School of Life Science and Technology, Tokyo Institute of Technology

⁴Laboratory for Chemistry and Life Science, Institute of Innovative Research,
Tokyo Institute of Technology

⁵School of Integrative Engineering, Chung-Ang University

*Corresponding author's email: okochi.m.aa@m.titech.ac.jp; tanaka.m.bn@m.titech.ac.jp

Contact

Kazuhide Hasegawa

Public Relations Division,

Tokyo Institute of Technology

media@jim.titech.ac.jp

+81-3-5734-2975

About Tokyo Institute of Technology

Tokyo Tech stands at the forefront of research and higher education as the leading university for science and technology in Japan. Tokyo Tech researchers excel in fields ranging from materials science to biology, computer science, and physics. Founded in 1881, Tokyo Tech hosts over 10,000 undergraduate and graduate students per year, who develop into scientific leaders and some of the most sought-after engineers in industry. Embodying the Japanese philosophy of “monotsukuri,” meaning “technical ingenuity and innovation,” the Tokyo Tech community strives to contribute to society through high-impact research. <https://www.titech.ac.jp/english/>