

## PRESS RELEASE

Source: Tokyo Institute of Technology, Public Relations Section

For immediate release: September 19, 2018

Subject line: **Lighting it up: A New Non-toxic, Cheap, and Stable Blue Photoluminescent Material**

(Tokyo, September 19) **Scientists at Tokyo Institute of Technology have designed a novel photoluminescent material that is cheap to fabricate, does not use toxic starting materials, and is very stable, enhancing our understanding of the quantic nature of photoluminescence.**

Understanding and mastering the generation of light could allow us to build and improve upon all kinds of optical and electronic devices for various applications. Quantum dots (QDs), specially tailored nanoparticles that emit light at certain frequencies when excited, are one of the central themes of nanotechnology. However, their applications are limited because it is hard to fabricate QD thin films, they use toxic starting materials like cadmium and lead, and synthesizing them is expensive. Some photoluminescent zero-dimensional (0D) materials (i.e. materials in which electrons are confined to a few nanometers and can be excited to produce light) have been tested, but they still relied heavily on lead. Thus, scientists at Tokyo Institute of Technology, led by Prof. Hideo Hosono, designed a novel photoluminescent lead-free 0D material and analyzed it to gain insight on the nature of photoluminescent materials.

The fabricated material,  $\text{Cs}_3\text{Cu}_2\text{I}_5$ , has a crystalline structure, as shown in Figure 1. The cesium atoms confine the  $[\text{Cu}_2\text{I}_5]^{3-}$  units, which emit blue light when excited at specific frequencies similar to QDs. The researchers were able to fabricate a thin film using this material, which proved to be very stable and had excellent photoluminescent characteristics. “The thin film exhibited good stability under ambient conditions, that is, no noticeable degradation in photoluminescent quantum yield (PLQY) over two months,” states Hosono.

The team went one step further and demonstrated two applications using this material. The first one was a white luminescent film, fabricated by mixing the blue-emitting material with a yellow phosphor at a specific ratio to produce white light. As shown in Figure 2, films that emit light of various colors could be prepared by varying the ratio of the ingredients used. The second application was a blue LED, which unfortunately exhibited poor electroluminescence (EL) performance. However, this allowed the team to better understand the underlying EL mechanisms, which will be useful in future research.

“The exploration of low-dimensional compounds based on a Cu(I) halide proved to be a novel route obtain a Pb-free high-PLQY luminescent material,” concludes Hosono. Such materials will hopefully see the light of day in future optical and nanotechnological applications.

## Reference

Authors: Taehwan Jun<sup>1</sup>, Kihyung Sim<sup>1</sup>, Soshi Iimura<sup>1</sup>, Masato Sasase<sup>2</sup>, Hayato Kamioka<sup>3</sup>, Junghwan Kim<sup>2\*</sup>, and Hideo Hosono<sup>1,2\*</sup>

Title of original paper: Lead-Free Highly Efficient Blue-Emitting  $\text{Cs}_3\text{Cu}_2\text{I}_5$  with OD Electronic Structure  
 Journal: *Advanced Materials*  
 DOI: [10.1002/adma.201804547](https://doi.org/10.1002/adma.201804547)  
 Affiliations: <sup>1</sup>Laboratory for Materials and Structures, Institute of Innovative Research, Tokyo Institute of Technology  
<sup>2</sup>Materials Research Center for Element Strategy, Tokyo Institute of Technology  
<sup>3</sup>Department of Physics, College of Humanities and Sciences, Nihon University

\*Corresponding author's email: [hosono@msl.titech.ac.jp](mailto:hosono@msl.titech.ac.jp) [JH.Kim@mces.titech.ac.jp](mailto:JH.Kim@mces.titech.ac.jp)




Figure 1. Structure of the proposed material

Crystalline structure of the proposed material. The green dots represent cesium atoms, and the blue bodies correspond to the  $[\text{Cu}_2\text{I}_5]^{3-}$  units that are confined between them. The cesium atoms plus the  $[\text{Cu}_2\text{I}_5]^{3-}$  units can be regarded as core-shell structures, which enhance the photoluminescent properties of the material.




Figure 2. Fabrication of a white photoluminescent film

(a) By mixing the proposed material with a yellow phosphor, a white photoluminescent film was made, demonstrating one of the potential applications of this novel material. (b) The color of the produced photoluminescent film can be changed by adjusting the ratio of the proposed material to the yellow phosphor used.

**Contact**

Emiko Kawaguchi  
Public Relations Section,  
Tokyo Institute of Technology  
[media@jim.titech.ac.jp](mailto:media@jim.titech.ac.jp)  
+81-3-5734-2975

**About Tokyo Institute of Technology**

Tokyo Tech stands at the forefront of research and higher education as the leading university for science and technology in Japan. Tokyo Tech researchers excel in fields ranging from materials science to biology, computer science, and physics. Founded in 1881, Tokyo Tech hosts over 10,000 undergraduate and graduate students per year, who develop into scientific leaders and some of the most sought-after engineers in industry. Embodying the Japanese philosophy of “monotsukuri,” meaning “technical ingenuity and innovation,” the Tokyo Tech community strives to contribute to society through high-impact research. [www.titech.ac.jp/english/](http://www.titech.ac.jp/english/)