

## PRESS RELEASE

Source:

Tokyo Institute of Technology  
Socionext Inc.

For immediate release: February 10, 2020

Subject line: **Powering the future: Smallest all-digital circuit opens doors to 5 nm next-gen semiconductor**

(Tokyo and Yokohama, February 10) **Scientists at Tokyo Institute of Technology (Tokyo Tech) and Socionext Inc. have designed the world's smallest all-digital phase-locked loop (PLL). PLLs are critical clocking circuits in virtually all digital applications, and reducing their size and improving their performance is a necessary step to enabling the development of next-generation technologies.**

New or improved technologies, such as artificial intelligence, 5G cellular communications, and the Internet-of-Things, are expected to bring revolutionary changes in society. But for that to happen, high-performance system-on-a-chip (SoC)—a type of integrated circuit—devices are indispensable. A core building block of SoC devices is the phase-locked loop (PLL), a circuit that synchronizes with the frequency of a reference oscillation and outputs a signal with the same or higher frequency. PLLs generate 'clocking signals', whose oscillations act as a metronome that provides a precise timing reference for the harmonious operation of digital devices.

For high performance SoC devices to be realized, fabrication processes for semiconductor electronics must become more sophisticated. The smaller the area to implement digital circuitry is, the better the performance of the device. Manufacturers have been racing to develop increasingly smaller semiconductors. 7 nm semiconductors (a massive improvement over their 10 nm predecessor) are already in production, and methods to build 5 nm ones are now being looked at.

However, in this endeavor stands a major bottleneck. Existing PLLs require analog components, which are generally bulky and have designs that are difficult to scale down.

Scientists at Tokyo Tech and Socionext Inc., led by Prof. Kenichi Okada, have addressed this issue by implementing a 'synthesizable' fractional-N PLL, which only requires digital logic gates, and no bulky analog components, making it easy to adopt in conventional miniaturized integrated circuits.

Okada and team used several techniques to decrease the required area, power consumption and jitter—unwanted time fluctuations when transmitting digital signals—of their synthesizable PLLs. To decrease area, they employed a ring oscillator, a compact oscillator that can be easily scaled down. To suppress jitter, they reduced the phase noise—random fluctuations in a signal—of this ring oscillator, using 'injection locking'—the process of

synchronizing an oscillator with an external signal whose frequency (or multiple of it) is close to that of the oscillator—over a wide range of frequencies. The lower phase noise, in turn, reduced power consumption.

The design of this synthesizable PLL beats that of all other current state-of-the-art PLLs in many important aspects. It achieves the best jitter performance with the lowest power consumption and smallest area (as can be seen in Figure 1). “The core area is 0.0036 mm<sup>2</sup>, and the whole PLL is implemented as one layout with a single power supply,” remarks Okada. Further, it can be built using standard digital design tools, allowing for its rapid, low-effort, and low-cost production, making it commercially viable.

This synthesizable PLL can be easily integrated into the design of all-digital SoCs, and is commercially viable, making it valuable for developing the much sought after 5 nm semiconductor for cutting-edge applications including artificial intelligence, internet of things and many others, where high performance and low power consumption would be the critical requirements. But the contributions of this research go beyond these possibilities. “Our work demonstrates the potential of synthesizable circuits. With the design methodology employed here, other building blocks of SoCs, such as data converters, power management circuits, and wireless transceivers, could be made synthesizable as well. This would greatly boost design productivity and considerably reduce design efforts,” explains Okada. Tokyo Tech and Socionext will continue their collaboration in this field to advance the miniaturization of electronic devices, enabling the realization of newer-generation technologies.

This research work was conducted in cooperation with TeraPixel Technologies Inc.

## Reference

Authors: Bangan Liu<sup>1</sup>, Yuncheng Zhang<sup>1</sup>, Junjun Qiu<sup>1</sup>, Hongye Huang<sup>1</sup>, Zheng Sun<sup>1</sup>, Dingxin Xu<sup>1</sup>, Haosheng Zhang<sup>1</sup>, Yun Wang<sup>1</sup>, Jian Pang<sup>1</sup>, Zheng Li<sup>1</sup>, Xi Fu<sup>1</sup>, Atsushi Shirane<sup>1</sup>, Hitoshi Kurosu<sup>2</sup>, Yoshinori Nakane<sup>2</sup>, Shunichiro Masaki<sup>2</sup>, Kenichi Okada<sup>1</sup>

Title of original paper: A Fully-Synthesizable Fractional-N Injection-Locked PLL for Digital Clocking with Triangle/Sawtooth Spread-Spectrum Modulation Capability in 5 nm CMOS

Journal: *IEEE Solid-State Circuits Letters*

DOI: [10.1109/LSSC.2020.2967744](https://doi.org/10.1109/LSSC.2020.2967744)

Affiliations: 1. Tokyo Institute of Technology, Tokyo, Japan  
2. Socionext Inc., Yokohama, Japan

\*Corresponding author's email: [okada@ee.e.titech.ac.jp](mailto:okada@ee.e.titech.ac.jp)




Figure 1. Photograph of a chip containing the proposed PLL  
The entire all-digital PLL fits in a  $50 \times 72 \mu\text{m}^2$  region, making it the smallest PLL to date.

#### Contacts

Emiko Kawaguchi  
Public Relations Section,  
Tokyo Institute of Technology  
[media@jim.titech.ac.jp](mailto:media@jim.titech.ac.jp)  
+81-3-5734-2975

Corporate Planning Office  
Socionext Inc.  
<http://www.socionext.com/en/contact>  
+81-45-568-1006

#### About Tokyo Institute of Technology

Tokyo Tech stands at the forefront of research and higher education as the leading university for science and technology in Japan. Tokyo Tech researchers excel in fields ranging from materials science to biology, computer science, and physics. Founded in 1881, Tokyo Tech hosts over 10,000 undergraduate and graduate students per year, who develop into scientific leaders and some of the most sought-after engineers in industry. Embodying the Japanese philosophy of “monotsukuri,” meaning “technical ingenuity and innovation,” the Tokyo Tech community strives to contribute to society through high-impact research.

[www.titech.ac.jp/english/](http://www.titech.ac.jp/english/)

#### About Socionext

Socionext is a global, innovative enterprise that designs, develops and delivers System-on-Chip solutions to customers worldwide. The company is focused on technologies that drive today’s leading-edge applications in consumer, automotive and industrial markets. Socionext combines world-class expertise, experience, and an extensive IP portfolio to provide exceptional solutions and ensure a better quality of experience for customers. Founded in

2015, Socionext Inc. is headquartered in Yokohama, and has offices in Japan, Asia, United States and Europe to lead its product development and sales activities. For more information, visit [www.socionext.com](http://www.socionext.com).