

PRESS RELEASE

Sources: Tokyo Institute of Technology
For immediate release: October 24, 2019

Subject line: **Creating a nanospace like no other**
— **Scientists build a nanocage with antiaromatic walls** —

(Tokyo, 24 October 2019) **Researchers at Tokyo Institute of Technology, the University of Cambridge, and the University of Copenhagen have built a self-assembled nanocage with a very unusual nanospace: Its walls are made of antiaromatic molecules, which are generally considered too unstable to work with. By overturning assumptions about the limits of nano-chemical engineering, the study creates an entirely new nanospace for scientists to explore. Nanometer-sized cavities are already finding a range of useful applications in chemistry, medicine and environmental science.**




Figure 1. Chemical structure of an antiaromatic-walled nanospace.

(a) construction of antiaromatic-walled nanospace. (b) X-ray crystal structure with a 3D NICS grid, showing magnetic deshielding experienced within the nanospace. Antiaromaticity effects becomes stronger in the order of yellow < orange < red color.

Scientists including Masahiro Yamashina of Tokyo Institute of Technology (JSPS Overseas Research Fellow, at that time) and Jonathan R. Nitschke of the University of Cambridge, reporting their work in the journal *Nature*, describe the construction of a new type of nanospace inside “a self-assembled cage composed of four metal ions with six identical antiaromatic walls.”

Until now, many teams have developed nanocages with aromatic walls, but none with antiaromatic compounds, owing to the challenges posed by their inherent instability. Aromaticity refers to a property of ring-shaped organic compounds that makes them highly stable, whereas antiaromaticity describes compounds that are far more reactive, due to a difference in the number of so-called π -electrons shared by the ring. (For a quick summary of the differences between the two types of compounds, refer to [Antiaromatic molecule displays record electrical conductance.](#))

The team's search for a suitable building block for their nanocage led them to [a 2012 study](#) by Hiroshi Shinokubo and co-workers in Japan. This study reported the synthesis of an unusually stable, nickel-based antiaromatic compound called norcorrole. Then, drawing on [Jonathan R. Nitschke](#) and his group's expertise in subcomponent self-assembly, the team succeeded in building a three nanometer-diameter cage with a norcorrole skeleton.

To investigate the degree of antiaromaticity within the cage, the team performed nucleus-independent chemical shift (NICS) calculations. The results indicated that the norcorrole panels appear to work together to enhance antiaromaticity. The NICS value was consistently high in the central part of the cage, suggesting that the panels reinforce each other.

The unique environment inside the cage was further tested by encapsulating a series of guest molecules, beginning with coronene which has been already encapsulated within the [aromatic cage](#).

The researchers hypothesized that when exposed to an external magnetic field, guest molecules in an aromatic-walled cage would experience a shielding effect, while those in an antiaromatic-walled cage would experience a deshielding effect.

As predicted by theory, nuclear magnetic resonance (NMR) spectroscopy analyses revealed a deshielding effect attributable to the antiaromatic walls.

All guest molecules tested in the study showed significant downfield chemical shifting, an indicator of the degree of deshielding. The shift differences ranged from 0.7 to 14.9 parts per million. Of these, a carbon nanobelt showed the highest degree of downfield shifting observed so far resulting from an antiaromatic environment.

The cage can be considered as a new type of NMR shift reagent, the researchers say, meaning that it could be a useful tool for structural analysis, ie for interpreting the finest structures of organic compounds.

Future work will focus on investigating chemical reactivity within the nanospace.



Figure 2. The project team in the Nitschke group.

Dr. Tanya K. Ronson, Dr. Masahiro Yamashina, Prof. Jonathan R. Nitschke, and Dr. Roy Lavendomme

References

Masahiro Yamashina^{1,4,§}, Yuya Tanaka², Roy Lavendomme¹, Tanya K. Ronson¹, Michael Pittelkow³ & Jonathan R. Nitschke^{1,*}. An antiaromatic-walled nanospace. *Nature* **574**, 511–515 (2019), DOI: [10.1038/s41586-019-1661-x](https://doi.org/10.1038/s41586-019-1661-x)

Affiliations

¹ Department of Chemistry, University of Cambridge, Cambridge, UK.

² Laboratory for Chemistry and Life Science, Institute of Innovative Research, Tokyo Institute of Technology, Yokohama, Japan.

³ Department of Chemistry, University of Copenhagen, Copenhagen, Denmark.

⁴ Present address: Department of Chemistry, School of Science, Tokyo Institute of Technology, Tokyo, Japan.

§Inquiry in Japan: yamashina@chem.titech.ac.jp

*Corresponding author's email: jrn34@cam.ac.uk

Related links

The Nitschke Group, Department of Chemistry, University of Cambridge

<https://www.nitschkegroup-cambridge.com>

Department of Chemistry, School of Science

<https://educ.titech.ac.jp/chem/eng/>

Biomimetics: Artificial receptor distinguishes between male and female hormones
|Tokyo Tech News
<https://www.titech.ac.jp/english/news/2019/044145.html>

Sweet success: Nanocapsule perfectly binds sucrose in water |Tokyo Tech News
<https://www.titech.ac.jp/english/news/2017/039190.html>

Stabilization of Highly Reactive Reagents upon Encapsulation |Tokyo Tech News
<https://www.titech.ac.jp/english/news/2014/028504.html>

Contact

Emiko Kawaguchi
Public Relations Section,
Tokyo Institute of Technology
E-mail: media@jim.titech.ac.jp
+81-3-5734-2975

About Tokyo Institute of Technology

Tokyo Tech stands at the forefront of research and higher education as the leading university for science and technology in Japan. Tokyo Tech researchers excel in fields ranging from materials science to biology, computer science, and physics. Founded in 1881, Tokyo Tech hosts over 10,000 undergraduate and graduate students per year, who develop into scientific leaders and some of the most sought-after engineers in industry. Embodying the Japanese philosophy of “monotsukuri,” meaning “technical ingenuity and innovation,” the Tokyo Tech community strives to contribute to society through high-impact research.

<https://www.titech.ac.jp/english/>